





merge E500 Series AW-PG50

3 ¼"Frame Depth **Horizontal Slider** 

### E500 SERIES HORIZONTAL SLIDER

The Quaker Emerge E500 Series Horizontal Slider window is ideal for a variety of applications including - Energy Efficient, Institutions, Education, Apartments and Assisted Living.

#### **FEATURES**

#### **Commercial Framing System**

- 3 ¼" main frame
- 0.062" wall thickness of frame

#### Thermally Enhanced Design

- Azon pour and debridge thermal break is ½" wide in all main frame and vent rail extrusions
- Frame and sash mitered and joined with screw fasteners
- Fin seal wool pile weatherstripping
- Positive interlocks

#### Glazing

1" insulated glass

#### Hardware

- Brass rollers with stainless steel axle pins for easy operation
- Gravity latch

#### 0 Screen

Extruded aluminum screen frame with BetterVue™ mesh

#### **BENEFITS**

- The capacity to match exterior colors for unique project facades
- The ability to facilitate large sizes for taller and wider window openings

#### PERFORMANCE

Structural & Thermal (test reports or thermal simulations available upon request)

Model	Horizontal Slider
AAMA/WDMA/CSA 101/I.S.2/A440-08 Rating	AW-PG50
Structural Load P.S.F.	75.19
Air at 50 MPH (cfm/ft²)	0.09
Water (No Penetration) P.S.F.	10.03
U-Value (with Low-E and Argon)	0.36 - 0.41
SHGC (with Low-E and Argon)	0.13 - 0.31

Window test size: 99" × 79"

Operating Force: 22 lbf (maintain motion), 1 lbf (latches)

#### Our products are tested to the standards of and certified by the American Architectural Manufacturer's Association, the National Fenestration Rating Council and the Window & Door Manufacturers Association.







#### **OPTIONS**

#### **Available Configurations**

- Fixed-Active
- Active-Fixed
- Active-Fixed-Active
- Fixed-Active-Fixed

#### **Muntin Choices**

Internal or simulated divided lites available

#### Hardware

- Sweep lock
- Night latch
- Limited travel latch
- Wide variety of locking and operating hardware options

#### **Nailing Fin**

#### Screen

- Extruded aluminum screen frame with aluminum wire
- Extruded aluminum screen frame with sunscreen mesh
- Extruded aluminum screen frame with stainless steel 0.009" thickness mesh
- Security screen (limitations apply)

#### $\langle \rangle$ Glazing

- Capillary tubes
- Argon gas
- Wide variety of glazing, tinting and thickness options

#### $\Diamond$ **Panning & Trim Choices**

Wide variety of panning, receptor and trim available

#### $\Diamond$

Wide variety of structural mulls

#### **Specialty**

- Attached exterior or interior storm window
- Extension jambs



#### ARCHITECTURAL PAINT COATINGS AND FINISHES

♦ Baked on powder coat finish meets ANSA/AAMA 2604 specs and is available in unlimited colors

• 11 Popular Colors



- Unlimited Custom Colors
- \* Printed colors shown here may not accurately depict actual painted colors. Color samples are available upon request.
- ♦ ANSA/AAMA 2605 powder coat finishes
- ♦ AAMA 611-98 Class I clear and tinted anodized finishes












## **E500 SL WITH NAILING FIN**

This document contains confidential and proprietary information intended for the private use of Quaker. © 2016 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.



SCALE 1:3















**VERTICAL** 


## **E500 SL WITHOUT NAILING FIN**

This document contains confidential and proprietary information intended for the private use of Quaker. © 2016 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.







VERTICAL CROSS SECTION

SCALE 1:3
















### merge E500 Series AW-PG50 3 ¼" Frame Depth **Horizontal Slider**

## **E500 CENTER VENT SLIDER WITH NAILING FIN**

This document contains confidential and proprietary information intended for the private use of Quaker. © 2016 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.




















## **E500 CENTER VENT SLIDER WITHOUT NAILING FIN**

This document contains confidential and proprietary information intended for the private use of Quaker. © 2016 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.





SCALE 1:3
















## **E500 END VENT SLIDER WITH NAILING FIN**

This document contains confidential and proprietary information intended for the private use of Quaker. © 2016 Quaker Window Products Co., INC. All rights reserved.

Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification requirements, result shown may vary.


















### merge E500 Series AW-PG50 3 ¼" Frame Depth **Horizontal Slider**

## **E500 END VENT SLIDER WITHOUT NAILING FIN**

This document contains confidential and proprietary information intended for the private use of Quaker. © 2016 Quaker Window Products Co., INC. All rights reserved. Quaker reserves the right to change any/all designs without notice. Due to periodic re-certification require-

